

NAME

qlgam – Quadruple-precision $\ln(\text{abs}(\text{Gamma}(x)))$

SYNOPSIS

Fortran (77, 90, 95, HPF):

```
f77 [ flags ] file(s) ... -L/usr/local/lib -lgjl
      REAL*16 FUNCTION qlgam(x)
      REAL*16      x
```

C (K&R, 89, 99), C++ (98):

```
cc [ flags ] -I/usr/local/include file(s) ... -L/usr/local/lib -lgjl
```

Use

```
#include <gampsi.h>
```

to get this prototype:

```
fortran_quadruple_precision qlgam(const fortran_quadruple_precision * x_);
```

NB: The definition of C/C++ data types **fortran_**xxx, and the mapping of Fortran external names to C/C++ external names, is handled by the C/C++ header file. That way, the same function or subroutine name can be used in C, C++, and Fortran code, independent of compiler conventions for mangling of external names in these programming languages.

Last code modification: 03-Aug-2000

DESCRIPTION

Return $\ln(\text{abs}(\text{Gamma}(x)))$, where **x** is any representable value. Unlike **gamma(x)**, which overflows for even modest **x**, the return of this function is finite and representable for all **x** > 0.

SEE ALSO

algam(3), **dlgam(3)**.

AUTHORS

The algorithms and code are described in detail in the paper

Algorithm xxx: Quadruple-Precision Gamma(x) and psi(x) Functions for Real Arguments

in ACM Transactions on Mathematical Software, Volume ??, Number ??, Pages ???--??? and ???--???, 2001, by

Nelson H. F. Beebe

Center for Scientific Computing

University of Utah

Department of Mathematics, 110 LCB

155 S 1400 E RM 233

Salt Lake City, UT 84112-0090

Tel: +1 801 581 5254

FAX: +1 801 581 4148

Email: beebe@math.utah.edu, beebe@acm.org, beebe@computer.org

WWW URL: <http://www.math.utah.edu/~beebe>

and

James S. Ball

University of Utah

Department of Physics

Salt Lake City, UT 84112-0830

USA

Tel: +1 801 581 8397

FAX: +1 801 581 6256

Email: ball@physics.utah.edu

WWW URL: <http://www.physics.utah.edu/people/faculty/ball.html>